PATENT U.S. Ser. No. 10/542.697

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the Application. No new matter has been introduced by way of the claim amendments. Current additions to the claims are noted with <u>underlined</u> text. Current deletions from the claims are indicated by text strikethrough or, [[double bracketing]]. The status of each claim is indicated in parenthetical expression following the claim number.

WHAT IS CLAIMED IS:

- (Currently Amended) A device for measuring mechanical conditions, wherein the device comprisesing:
 - a sensing element comprising a plurality of carbon nanotubes; and
 an electrical probe in contact with the plurality of carbon nanotubes;

 wherein the electrical probe is sensitive to an electrical property of the carbon nanotubes in a measureable way.
- (Currently Amended) The device of Claim 1, further comprising a database of information
 which correlates the electrical property measurements made with the electrical probe to the
 mechanical conditions in a quantifiable manner based upon previously measured standards.
- 3. (Original) The device of Claim 1, wherein the electrical probe is a four-point probe.
- (Currently Amended) The device of Claim 1, wherein the electrical probe measures a
 property is selected from the group consisting of conductivity, resistivity, conductance,
 resistance, and combinations thereof.
- (Original) The device of Claim 1, wherein the mechanical conditions are selected from the group consisting of displacement, impact, stress, strain, and combinations thereof.
- 6. (Original) The device of Claim 1, wherein the carbon nanotubes are selected from the group consisting of single-wall carbon nanotubes, multi-wall carbon nanotubes, double-wall carbon nanotubes, carbon fibrils, buckytubes, fullerene tubes, vapor-grown carbon fibers, and combinations thereof

7. (Currently Amended) The device of Claim 1, wherein the carbon nanotubes have been refined so as to provide for to a desired level of property homogeneity among the earbon nanotubes, wherein the property said homogeneity is selected from the group consisting of uniform diameter, uniform length, uniform chirality, and combinations thereof.

- 8. (Currently Amended) The device of Claim 1, wherein the carbon nanotubes have been chemically modified through a modification selected from the group consisting of covalent bonding, ionic bonding, chemisorption, intercalation, surfactant interactions, polymer wrapping, cutting, solvation, and combinations thereof.
- (Currently Amended) The device of Claim 1, wherein the further comprising a plurality of
 carbon nanotubes comprises assembled in a form selected from the group consisting of an
 array, a mat, a bucky-paper, and combinations thereof.
- (Original) The device of Claim 1, wherein the carbon nanotubes are incorporated into a matrix material.
- 11. (Original) The device of Claim 1, wherein the carbon nanotubes are attached to a material.
- (Currently Amended) The device of Claim 1, wherein the said device is incorporated into an
 article of manufacture.
- (Currently Amended) The device of Claim 12, wherein thesaid article of manufacture is selected from the group consisting of airplanes, automobiles, engines, spacecraft, buildings, bridges, dams, and gaskets, and combinations thereof.
- 14. (Currently Amended) The device of Claim 1, wherein the said device is attached to an article of manufacture.
- 15. (Currently Amended) The device of Claim 14, wherein thesaid article of manufacture is selected from the group consisting of airplanes, automobiles, engines, spacecraft, buildings, bridges, dams, and gaskets, and combinations thereof.
- (Currently Amended) The device of Claim I, wherein the <u>plurality of carbon nanotubes(s)</u>
 are arranged in a two-dimensional network.

PATENT U.S. Ser. No. 10/542,697

- (Currently Amended) The device of Claim 1, wherein the <u>plurality of</u> carbon nanotubes(s)
 are arranged in a three-dimensional network.
- 18. (Original) A method of measuring mechanical conditions comprising: selecting a plurality of carbon nanotubes; attaching to the carbon nanotubes an electrical probe; exposing the carbon nanotubes to a mechanical condition; measuring a change in an electrical property of the carbon nanotubes with the electrical probe;

comparing this electrical property change to a database which correlates electrical property changes with mechanical conditions in a quantifiable manner; and assigning a value to this mechanical condition based on this comparison.

- 19. (Original) The method of Claim 18, wherein the carbon nanotubes make up a sensing element that optionally comprises other materials selected from the group consisting of glass fibers, ceramic fibers, polymers, polymeric fibers, carbon fibers, nanotube fibers, spherical particles, and combinations thereof.
- 20. (Original) The method of Claim 18, wherein the electrical probe is a four-point probe.
- (Original) The method of Claim 18, wherein the electrical probe measures a property selected from the group consisting of conductance, conductivity, resistance, resistivity, and combinations thereof.
- 22. (Original) The method of Claim 18, wherein the mechanical conditions are selected from the group consisting of displacement, stress, strain, and combinations thereof.
- 23. (Original) The method of Claim 18, wherein the carbon nanotubes are selected from the group consisting of single-wall carbon nanotubes, multi-wall carbon nanotubes, double-wall carbon nanotubes, carbon fibrils, buckytubes, fullerene tubes, vapor-grown carbon fibers, and combinations thereof.
- 24. (Original) The method of Claim 18, wherein the carbon nanotubes are in a form selected

from the group consisting of an array, a mat, a buckypaper, and combinations thereof.

- 25. (Original) The method of Claim 18, wherein said method is used to sense mechanical conditions selected from the group consisting of displacement, impact, stress, strain, and combinations thereof.
- 26. 61. (Cancelled)
- (New) The device of Claim 1, wherein the carbon nanotubes have been physically modified.